

## WEST Search History





DATE: Friday, March 03, 2006

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L22	L21 and (developer\$1 same server\$1 same protocol\$1)	5
<input type="checkbox"/>	L21	L20 not l13	49
<input type="checkbox"/>	L20	L19 and (protocol\$ near3 adapt\$)	53
<input type="checkbox"/>	L19	L18 and ((object\$1 or server\$1) near3 container\$1)	1001
<input type="checkbox"/>	L18	719/\$.ccls. or 709/\$.ccls.	47246
<input type="checkbox"/>	L17	719/\$.ccls. or 719/\$.ccls.	6119
<input type="checkbox"/>	L16	L15 not l14	4
<input type="checkbox"/>	L15	l13 and container\$1	6
<input type="checkbox"/>	L14	L13 and arbitrary	7
<input type="checkbox"/>	L13	L12 not l3	36
<input type="checkbox"/>	L12	l10 and 709/230.ccls.	36
<input type="checkbox"/>	L11	L10 and (ARBITRARY ADJ PROTOCOL\$1)	1
<input type="checkbox"/>	L10	L9 and (protocol\$1 with adap\$)	118
<input type="checkbox"/>	L9	L8 and (server\$1 near3 (object\$1 or container\$1))	709
<input type="checkbox"/>	L8	L7 AND ADAPT\$	3368
<input type="checkbox"/>	L7	L5 AND PROTOCOL\$1	6670
<input type="checkbox"/>	L6	L5 AND PROTOCOCOL\$1	0
<input type="checkbox"/>	L5	709/230.CCLS. OR 709/203.CCLS. OR 719/315.CCLS.	8690
<input type="checkbox"/>	L4	((((OBJECT ADJ SERVER\$1) OR CONTAINERS\$1) AND (ARBITRARY ADJ PROTOCOL\$1) AND ADAPTER\$1).CLM.	1
<input type="checkbox"/>	L3	((((OBJECT ADJ SERVER\$1) OR CONTAINERS\$1) AND PROTOCOL\$1 AND ADAPTER\$1).CLM.	15
<input type="checkbox"/>	L2	((((OBJECT ADJ SERVER\$1) OR CONTAINERS\$1) AND (PROTOCOL ADJ ADAPTER ADJ FRAMEWORK\$1) AND SERVICES\$1 AND DEVELOPERS\$1).CLM.	0
<input type="checkbox"/>	L1	((OBJECT ADJ SERVER ADJ CONTAINER\$1) AND (PROTOCOL ADJ ADAPTER ADJ FRAMEWORK\$1) AND SERVICES\$1 AND DEVELOPERS\$1).CLM.	0

END OF SEARCH HISTORY



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 1 - 10 of about 40 for **"protocol adapter"** and **"object server"**. (1.23 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

### [Java Management Extensions \(JMX\)](#)

Management applications that connect to a **protocol adapter** are usually specific to a given protocol. The ability to query and update the configuration ...

[publib.boulder.ibm.com/.../wasinfo/v6r0/topic/](#)

[com.ibm.websphere.nd.doc/info/ae/ae/cxml\\_javamanagementx.html](#) - 11k -

[Cached](#) - [Similar pages](#)

### [\[Gnue-dev\] GEASv2 Definitions](#)

Security is enforced at the **Object Server**. Remote **Protocol Adapter** - Implements CORBA or other RPC type protocol over the network. ...

[lists.gnu.org/archive/html/gnue-dev/2002-02/msg00004.html](#) - 7k - [Cached](#) - [Similar pages](#)

[gnue/appserver/doc/whitepaper .cvsignore Makefi...](#)

@item **Object Server**: translates all requests to the business objects into ... @node  
Security Adapter,Remote **Protocol Adapter**,Object Access Translator ...

[lists.gnu.org/archive/html/commit-gnue/2002-11/msg00180.html](#) - 42k -

[Cached](#) - [Similar pages](#)

### [United States Patent Application: 0020083214](#)

**Protocol adapter** queues the work request to an **object server** container (10 work queue (11). The method representing the request is run by the **object server** ...

[appft1.uspto.gov/.../20020083214&RS=DN/20020083214](#) - 29k - [Cached](#) - [Similar pages](#)

### [Associated Press:ENPS](#)

Prangley added that the Media **Object Server** (MOS) from Associated Press could handle a high volume ... distributor and manager; and a MOS **protocol adapter**. ...

[www.enps.com/news/inthenews.aspx](#) - 101k - [Cached](#) - [Similar pages](#)

### [\[PDF\] PowerPoint - COVER.PPT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

establishing a socket connection to the **object server** ... **Protocol Adapter** Beans use the Protocol Service Beans to adapt a ...

[www.tinac.com/conference/tina99/tutorial\\_a2.pdf](#) - [Similar pages](#)

### [Java Management Extensions \(JMX\)](#)

Management applications that connect to a **Protocol adapter** are usually specific ... Relies on a core-managed **object server** that acts as a Management agent. ...

[www.skywayradio.com/tech/WAS60/ND/JMEs\\_JMX.html](#) - 10k - Supplemental Result -

[Cached](#) - [Similar pages](#)

### [\[PDF\] Chapter 6: Proof-of-Concept Implementation](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

page servers, which transmit entire disk/memory pages, the **object server** approach allows each ... Into both connection manager components, **protocol adapter** ...

[www.diss.fu-berlin.de/2004/40/chapter6.pdf](#) - [Similar pages](#)

### [\[PDF\] Java Management Extensions Instrumentation and Agent Specification ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

JSR-000070 IIOP **Protocol Adapter** for JMX Specification has been accepted: ... simply needs to embed a managed **object server** and make some of its ...

[www.jcp.org/aboutJava/communityprocess/first/jsr003/jmx\\_instr\\_agent.pdf](#) - [Similar pages](#)

[PDF] [Response to Request For Information - Response to Request For ...](#)


File Format: PDF/Adobe Acrobat - [View as HTML](#)

... GIOP ESIOP IP Mini-ORB GIOP ESIOP IP Mobile Station CORBA Core Proxy **Object Server** Name Server Proxy Object Client **Protocol Adapter** Standardized API Page 13. ...  
[www.omg.org/docs/telecom/98-09-17.pdf](http://www.omg.org/docs/telecom/98-09-17.pdf) - Supplemental Result - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooogle ►  
Result Page: 1 2 3 4 [Next](#)

Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)



"protocol adapter" and "object server"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 11 - 20 of about 40 for "protocol adapter" and "object server". (0.14 seconds)

### [\[PDF\] Java Management Extensions Instrumentation and Agent Specification ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

JSR-000070 IIOP **Protocol Adapter** for JMX Specification has been accepted: ... The JMX architecture relies on a core managed **object server** that acts as a ...  
[rangiroa.essi.fr/cours/langage/00-jmx.pdf](#) - [Similar pages](#)

### [\[PDF\] Java Management Extensions Instrumentation and Agent Specification ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

JSR 000146 - WBEM Services: JMX Provider **Protocol Adapter** ... The JMX architecture relies on a core managed **object server** that acts as a ...  
[www.ece.uic.edu/~cpress/jmx/jmx\\_1.2\\_specJSR-000003.pdf](#) - [Similar pages](#)

### [\[PDF\] Chyron Product Overview](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... workstation Page 12. 10 MOS (Media **Object Server**) Interface: Chyron graphics products support the full MOS protocol • Dynamic and ...  
[www.pmotions.com/Public/PDFs/ Probel/Product%20Overview%202003%20hooper.pdf](#) - Supplemental Result - [Similar pages](#)

### [United States Patent Application: 0050015619](#)

The business **object server** performs object assembly and disassembly, ... and The XML DTDs and Tuxedo contracts supplied by A **protocol adapter** can all be ...  
[appft1.uspto.gov/.../20050015619&RS=DN/20050015619](#) - 86k - Supplemental Result - [Cached](#) - [Similar pages](#)  
[ [More results from appft1.uspto.gov](#) ]

### [\[00:00\] Last message repeated 1 time\(s\). <dtm> greetings ladies ...](#)

... triggers <chillywilly> remote **protocol adapter** == gnurpc <chillywilly> ... by the **object server** <chillywilly> byw <chillywilly> er, btw <ajmitch> aye? ...  
[www.gnunterprise.org/irc-logs/gnue-public.log.2002-03-31](#) - 55k - [Cached](#) - [Similar pages](#)

### [\[PDF\] Informatica Corporation PowerCenter 1.5 PowerMart 4.5 Release ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The following Oracle software is installed: SQL\*Net (V2) : 2.3.4.0.0 TCP/IP **Protocol Adapter** (V2) : 2.3.4.0.0 ORACLE Common Libraries and Utilities : 7.3.4.0.0 ...  
[www1.informatica.com/webzine/Download\\_area/Files/45\\_15/readme.pdf](#) - Supplemental Result - [Similar pages](#)

### [\[PDF\] Informatica Corporation PowerCenter 1.5.1 PowerMart 4.5.1 Release ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. 1 Informatica Corporation PowerCenter 1.5.1 PowerMart 4.5.1 Release Notes  
March 1999 Copyright 1999 Informatica Corporation ...  
[www1.informatica.com/webzine/Download\\_area/Files/45\\_15/4.5.1Readme.PDF](#) - Supplemental Result - [Similar pages](#)

## DEC/EDI

### [Installing the ...](#)

1.4.1.0 - Production Oracle Bequeath NT **Protocol Adapter** for DEC OSF/1: Version ...  
[decedi\\_imod Free Object Server /usr/sbin decedi\\_imrd Client registration ...](#)  
[h30266.www3.hp.com/masterindex/installation\\_guide/installation\\_guide\\_002069a8.txt](#) - 302k - [Cached](#) - [Similar pages](#)

## Fresh Patents-Integration infrastructure patent apps

... At run time, adapters 312 are used by the business **object server** 320 to interact ... and

<http://www.google.com/search?q=%22protocol+adapter%22+and+%22object+server%22&hl=en&lr=&start...> 3/3/06


the XML DTDs and Tuxedo contracts supplied by a **protocol adapter** can all ...  
www.freshpatents.com/ Integration-infrastrucuture-dt20050120ptan20050015619.php - 75k

• - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] [users.aber.ac.uk/cwl/SCREEN/DELIVERABLES/PDF\\_FILES...](http://users.aber.ac.uk/cwl/SCREEN/DELIVERABLES/PDF_FILES...)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Web**

Results **1 - 10** of about **739** for **"protocol adapter" and container**. (0.46 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

### [HTTP-SOAP Protocol Adapter - PXE Project Wiki](#)

The HTTP-SOAP **Protocol Adapter** is a PXE Service Provider whose function is to relay message between a SOAP "stack" and the PXE **container**. ...

[pxe.fivesight.com/confluence/ pages/viewpage.action?pagelId=25](#) - 21k -

[Cached](#) - [Similar pages](#)

### [PXE Container - PXE Project Wiki](#)

Because they play distinct roles in the **container**, PXE distinguishes between inbound communications and outbound communications. A **protocol adapter** is a ...

[pxe.fivesight.com/confluence/display/PXE/PXE+Container](#) - 22k - [Cached](#) - [Similar pages](#)

### [Chapter 5. Architecture and features of Trifork T4](#)

**Protocol Adapter**: The role of a **Protocol Adapter** is to provide an implementation of a ... In the Trifork EJB **Container**, all EJB components are reified, ie, ...

[www.trifork.com/package/eos/external/ static/T4/doc-](#)

[4.1/documentation/userdoc/html/ch05.html](#) - 21k - [Cached](#) - [Similar pages](#)

### [1.1.9.1 Classes and Functions typically used for Customization ...](#)

... the ability to iterate over a **container**-like object, such as a list or tuple. ...

`declareAdapterForType(, protocol, adapter, typ [ , depth=1 ] )` ...

[peak.telecommunity.com/protocol\\_ref/node23.html](#) - 16k - [Cached](#) - [Similar pages](#)

### [Understanding Resource Adapters](#)

The resource adapter serves as a **protocol adapter** that allows any arbitrary ... One or more connection pools maintained by the **container** for the management ...

[edocs.bea.com/wls/docs90/resadapter/understanding.html](#) - 29k - [Cached](#) - [Similar pages](#)

### [Enterprise Java Community: RMI/IIOP, nice idea but the reality is ...](#)

Sun could have stuck with RMI and then later when the CCM arrives, we can simply add an RMI/IIOP **protocol adapter** to the **container**. ...

[theserverside.com/resources/article.jsp?l=RMI-IIOP](#) - 41k - [Cached](#) - [Similar pages](#)

### [PYRO - Implementation](#)

In turn, that method forwards the call to the **protocol adapter**, that creates a message ...

The Config class is the **container** for all configuration items. ...

[pyro.sourceforge.net/manual/11-implementation.html](#) - 17k - [Cached](#) - [Similar pages](#)

### [BrianMoseley20050308](#)

... than a network **protocol adapter** to an API that accesses a content store. ... If you're using EJB, you can run separate instances of the EJB **container** ...

[wiki.osafoundation.org/bin/ view/Journal/BrianMoseley20050308](#) - 27k -

[Cached](#) - [Similar pages](#)

### [WLDJ - Are Your Handhelds Safe in J2EE Hands?](#)

... This feature only works for SFSBs whose transactions are **container**-managed. ... the SFSB mediates all communications between the client (**protocol adapter**) and the ...

[www.sys-con.com/weblogic/articleprint.cfm?id=180](#) - 22k - Supplemental Result -

[Cached](#) - [Similar pages](#)

### [JMX and JMS: How HP OpenView interconnect uses these technologies ...](#)

MBeans live in an MBean server, which is a type of **container** responsible ... Finally, from



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results **11 - 20** of about **739** for **"protocol adapter" and container**. (0.16 seconds)

### Monitoring and Managing Tomcat Clusters Using JMX

The latest version of the Tomcat 5 servlet **container** provides built-in support ... 70, IIOP

**Protocol Adapter** for JMX Specification, This specification will ...

[www.devx.com/Java/Article/21726/1954](http://www.devx.com/Java/Article/21726/1954) - 44k - [Cached](#) - [Similar pages](#)

### United States Patent Application: 0020083214

**Protocol adapter** queues the work request to an object server **container** (10 work queue (11). The method representing the request is run by the object server ...

[appft1.uspto.gov/.../20020083214&RS=DN/20020083214](http://appft1.uspto.gov/.../20020083214&RS=DN/20020083214) - 29k - [Cached](#) - [Similar pages](#)

### United States Patent Application: 0040015578

An HTTP **protocol adapter** 102 is shown in the Web **container** 100. A **protocol adapter** for HTTP 102 is shown in a Web **container** 100, that can intercept a Web ...

[appft1.uspto.gov/.../20040015578&RS=DN/20040015578](http://appft1.uspto.gov/.../20040015578&RS=DN/20040015578) - 46k - [Cached](#) - [Similar pages](#)

### System Fingerprint

ApplicationDescriptionEnvironment. **Container** for components used by applications ...

HttpProtocol. **Protocol adapter** for http:// protocol ...

[galahad.star.le.ac.uk:8080/galahad-ledas-one/cea-fingerprint.jsp](http://galahad.star.le.ac.uk:8080/galahad-ledas-one/cea-fingerprint.jsp) - 22k - Mar 2, 2006 -

[Cached](#) - [Similar pages](#)

### The Java Community Process(SM) Program - JSRs: Java Specification ...

70, IIOP **Protocol Adapter** for JMXTM Specification ... It includes portlets, portlet **container** behavior, portlet windows, events, persistent storage and ...

[www.jcp.org/en/jsr/tech?listBy=3&listByType=platform](http://www.jcp.org/en/jsr/tech?listBy=3&listByType=platform) - 101k - [Cached](#) - [Similar pages](#)

### From black boxes to enterprises, Part 1: Management, JMX 1.1 style

A **protocol adapter** is a software component that provides access to the agent-managed ...

J2EE 1.4 will feature completely JMX-instrumented **containers**. ...

[www.ibm.com/developerworks/library/j-jmx1/](http://www.ibm.com/developerworks/library/j-jmx1/) - 67k - [Cached](#) - [Similar pages](#)

### From black boxes to enterprises, Part 2: Beans, JMX 1.1 style

Connecting to the JMX agent through the HTML **protocol adapter** ... J2EE 1.4 will feature completely JMX-instrumented **containers**. Download the latest version ...

[www.ibm.com/developerworks/library/j-jmx2/](http://www.ibm.com/developerworks/library/j-jmx2/) - 83k - [Cached](#) - [Similar pages](#)

### [PDF] Automating Applications Management in the Enterprise using DMTF ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

It is handled by the Coyote **protocol adapter**. b. The adapter assigns a thread from the ... queued place while any point in the servlets **container** that is an ...

[www.dmtf.org/education/academicalliance/umesh\\_2004.pdf](http://www.dmtf.org/education/academicalliance/umesh_2004.pdf) - [Similar pages](#)

### WWW Distributed Authoring and Versioning (webdav) Charter

**container** deletion assumes inclusion containment, deleting the **container** and its members. Most object management systems provide ...

[www3.ietf.org/proceedings/04nov/webdav.html](http://www3.ietf.org/proceedings/04nov/webdav.html) - 35k - [Cached](#) - [Similar pages](#)

### Java News from May, 2000

... IIOP **Protocol Adapter** for JMX, to the Java Community Process. ... An important intended use of the RowSet is as a **container** for tabular data that can be ...

[www.cafeaulait.org/2000may.html](http://www.cafeaulait.org/2000may.html) - 23k - [Cached](#) - [Similar pages](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

## Web

Results 1 - 4 of about 5 for "**protocol adapter**" and "**arbitrary protocol**". (0.67 seconds)

Tip: Try removing quotes from your search to get more results.

### [United States Patent Application: 0020083214](#)

**Protocol adapter** framework for integrating non-IIOP applications into an object ... any **arbitrary protocol** that the object implementer deems appropriate. ...  
[apptf1.uspto.gov/.../20020083214&RS=DN/20020083214](#) - 29k - [Cached](#) - [Similar pages](#)

### [\[PDF\] Configuring Net8](#)

File Format: PDF/Adobe Acrobat

is use the appropriate Net8 **protocol adapter** for that environment. Net8 is also location transparent and operating-system transparent. it is location ...  
[www.iswoo.com/article2/220000001-040329103146-ISWOO.pdf](#) - Supplemental Result - [Similar pages](#)

### [\[PDF\] IBM WebSphere V5 Edge of Network Patterns](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

transmitted over any other **arbitrary protocol** B, by. encapsulating the packets of A within GRE ... multi-**protocol adapter**. MPP. Message Processing Program ...  
[www.redbooks.ibm.com/redbooks/pdfs/sg246896.pdf](#) - [Similar pages](#)

### [\[PDF\] Front cover](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. [ibm.com/redbooks](#) Patterns for the Edge of Network Richard Voegeli Byron Braswell Runtime Patterns with WebSphere Edge Server ...  
[www.slgordon.com/redbooks\\_was/pdfs/sg246822.pdf](#) - Supplemental Result - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Try your search again on [Google Book Search](#)

Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)

